EGRETS & NUISANCE HERONRIES/ROOKERIES

Community Meeting June 15, 2023


Memorial Library



Facts

- Texas Parks & Wildlife reports over 40 nuisance heronries in towns & cities.
- Cattle Egrets are attracted to inland heronries already established by other herons like the blue heron and snowy egret.
- Other egrets are limited by the distribution and abundance of crayfish.
- Cattle Egrets tend to like Live Oak trees with tree canopies with >75% and 20 to 30 feet in height.
- Age of heronries, if left undisturbed is 1-12 years, usually 5 years.
- Number of nests is 130-18,450 usually 5,000.

A Rookery



Cattle Egret



Snowy Egret



Yellow-crowned Night Heron



Great Egret





Little Blue Heron



Black-crowned Night Heron


Cattle Egrets





The Situation

- Neighborhoods in SE Grand Prairie has been experiencing large number of egrets for the past five years.
- Problem is tree canopy that exists in the neighborhoods and cost of trimming Live Oaks. Cost around \$850 or more per tree to trim.
- City Restrictions: Spending public money on private property.





Arlington Helps Neighborhood Plagued by Egrets

 $\hbox{\it City has handed out countermeasures like noise makers, streamers, balloons to deter the birds from nesting}$

By Ben Russell

Published Apr 3, 2018 at 4:52 AM | Updated at 7:13 AM ODT on Apr 3, 2018

Egrets Invade Carrollton

By Randy McIlwain

Published May 30, 2011 at 6:49 PM



Hundreds of Egrets Nest in North Texas Yard

By Jack Highberger

Published Jul 11, 2019 at 9:01 PM | Updated at 10:42 PM CDT on Jul 11, 2019




Street in March





Neighborhood by July






Noise – Odor - Solids





February





The Birds

SCOUTS





Yellow-crowned Night Heron February - July Black-crowned Night Heron February - July

JOINERS



Blue Heron March - August

JOINERS





Snowy Egret March - July

Black-crowned Night Heron February - July

PARTY CRASHERS



Cattle Egret
April - October




SPECIAL NOTICE!

Due to egret waste, the City of Grand Prairie will provide street sweeping on this street on Thursday, July 26, 2018.


Please remove your vehicle(s) from the street by midnight on Wednesday, July 25, 2018.

Street cleaning will be complete by Thursday, July 26 at 5 p.m.





Before and After





GRand Prairie

What to do about MIGRATORY in your neighborhood

HOW TO PROACTIVELY TAKE ACTION

Find out at our meeting on **Thursday, December 6 at Development Center 6p.m.** 206 W. Church St., Grand Prairie, TX 75050

WINTER: FEBRUARY - MARCH

Check daily for birds and nesting material in trees Use scare tactics to drive birds away from property

2 SPRING & SUMMER: MARCH - OCTOBER

Nesting Season: Do not kill, harass, relocate, move or attempt to scare away the birds during nesting season

- **3** FALL & WINTER: OCTOBER FEBRUARY
 - Remove old or abandoned nests
 - Trim trees
 - Allow sunlight between limbs and other trees
 - Destroy old and new nests before egg laying
 - Before migratory birds lay eggs, use a combination of scaring devices



Hang "scare eye" or moving objects



Use water hoses before egg laying





GRand PR ENVIRONMENTAL QUALITY DIVISION

MEETING NOTICE MIGRATORY BIRDS

in your neighborhood

LEARN HOW TO PREVENT BIRDS FROM NESTING AND SIGN UP FOR FREE SCARE KITS

Thursday, January 17 at 6p.m.

Main Library - Inspire Room 901 Conover Dr., Grand Prairie, TX 75051



Search...



CITY GOVERNMENT

RESIDENTS

BUSINESSES

VISITORS

I WANT TO

City Government » City Departments » Animal Services » Wildlife and Trap Policies

Migratory Birds

Font Size: 1



H Share & Bookmark



Migratory Birds in Grand Prairie

Texas is a major route for migratory birds shuttling between the United States and Canada. Grand Prairie has been faced with the challenge of managing the effects of egrets in our community's residential areas. Currently, only a few areas of Grand Prairie see migratory birds.



CATTLE EGRET

WHY ARE THEY IN YOUR NEIGHBORHOOD

Cattle Egrets begin migrating from South Texas each year in February in search of favorable nesting areas. History shows they appear to choose the same location each year they return. When establishing a home, Egrets are drawn to neighborhoods with:

- Large, well-established trees with dense and lush covers.
- Abundance of insects where birds are

ANIMAL SERVICES

Contact Grand Prairie Animal Services

Prairie Paws Adoption Center 2222 W. Warrior Trail Grand Prairie, TX 75052

Phone: 972-237-8575 Fax: 972-237-8579 **Email Animal Services**

Hours & Contact Information

Volunteer



Egret Kit Information



TAPE

This non-sticky "tape" is actually a metallic ribbon made from Mylar film. It is often referred to as bird tape, scare tape, flash tape, or holographic tape. When sunlight hits the tape, it reflects bright flashes of light. It also makes a crackling note with any slight breeze birds associate this combination of light, movement, and sound with fire so they become scared and flee the area. Tie to tree branches.

EYE BALLOONS

The Eye Spot Balloon is a visual scare device. When birds see the bright colors, predator eyes, and reflective surface, they will be confused and frightened and want to avoid the area. Fill with helium gas from your block captain and hang on tree branches.





BULL SEYE NOZZLE

Use this hose attachment to scare off adult birds and to knock down old nests or empty nests.

<u>AIRHORNS</u>

Use these when you see birds in the trees prior to nesting. The noise will startle them and they should fly off.



Remember, once egrets and herons start nesting, federal law prohibits harassing the birds.





City Response to Increased Habitat



SPECIAL NOTICE

STREET SWEEPING JULY 9-10

Due to egret bird waste, the city of Grand Prairie will provide street sweeping on this street Tuesday or Wednesday, July 9-10, 2019.


Please remove your vehicle(s) from the street by midnight Monday, July 8, 2019.

Street cleaning will be complete by 5 p.m. Wednesday, July 10.

NATIONAL PROTECTION

Cattle Egets, among other migratory birds, are a federally protected species under the Migratory Bird Treaty Act. It is illegal to trap, kill, shoot, poison or otherwise harm them.





Sweep Every 3 Weeks



July 30, 2019 Grenoble





NOTICE

IT IS EGRET NESTING SEASON AND FEDERAL LAW PROHIBITS:

- Tree Trimming
- Removing of Limbs
- Disturbance of Egrets

Violators are subject to enforcement by the U.S. Department of Fish and Wildlife and Texas Parks & Wildlife Department.

LEARN HOW TO PREVENT BIRDS FROM NESTING

Thursday, August 29 &

& November 21

at 6 p.m.

Main Library - Inspire Room

901 Conover Dr.,

Grand Prairie, TX 75051





AVISO

ES LA TEMPORADA DE ANIDACIÓN DE LA GARCETA Y LA LEY FEDERAL PROHIBE:

- Poder los árboles
- Recortar las ramas
- Pertubar a las garcetas

Los transgresores están sujetos a la aplicación del las leyes del Departamento de Pesca y Vida Silvestre de los Estados Unidos y del Departamento de Parques y Vida Silvestre de Texas.

APRENDA CÓMO PREVENIR QUE LAS AVES DE LA ANIDEN

Jueves, Agosto 29 y Noviembre 21 a las 6 p.m. Main Library - Inspire Room

901 Conover Dr.,

Grand Prairie, TX 75051






2020 Actions – Postcards, Street Sweeping 2x/month, letters to homeowners



Egret Survey




	Number of
	houses with
	Nest
2019	
	155
2020	33



Egret Problem Areas

Abatement Measures Considered:

Propane Cannons: Other cities had Citizens very mad about this.








Health Hazard?

Bird Droppings

- Large populations of roosting birds may present a risk of disease to people nearby. The most serious health risks arise from organisms that can grow in the nutrient rich accumulations of bird droppings under a roost, particularly if the roost have been active for a long time.
- According to the Department of State Health Services, no illnesses attributable to egrets has been reported in the state.

What to do if you think the bird droppings are affecting your health?


- Avoid being outside if you don't need to be.
- Rinse yard and driveway to avoid heavy accumulation.
- Use mild bleach solution on the driveway.
- Consider wearing a dust mask when outside.
- See your physician.
- Contact the Texas Department of State Health
 Services at



Public Health Region 2/3 - Arlington

Aurelia Schmalstieg, MD, Regional Medical Director
Becky Earlie-Royer, Ph.D., MPH, CHES, Deputy Regional Director
Regional Headquarters: 1301 South Bowen Road, Suite 200, Arlington, TX 76013,
Mail Code 1905

Phone: 817-264-4500 FAX: 817-264-4506 TDD: 817-264-4505





Once the FIRST bird lays an egg,

ALL harassment and scare tactics

MUST STOP.

2 Houses on Grenoble cut down their Live Oak Trees during Nesting Season.

Numerous birds were killed or injured.

46 Babies/Adults transported by Animal Services to a Rehabilitation Facility.



Illegal Tree Trimming





What you can do

- 1) Trim Trees in Nov- Feb to open the stand 50-75%
- 2) Remove all old nests
- 3) Scout for native species in February
- 4) Use scare tactics on the scouts who are vulnerable to harassment.

REMEMBER: Once birds are nesting, they can not be disturbed. Cutting down limbs does disturb nesting.

SCARE KITS

WHAT IS IN THEM

- Reflective holographic tape
- Scare-eyes balloons
- Airhorns
- Bullseye hose nozzles

HOW TO USE

- Reflective holographic tape and scare-eye balloons are visual deterrents that need to be attached to tree branches as high as possible. Bright colors and reflective surfaces confuses and frightens birds when use properly.
- Airhorns emit sounds that scare birds away.
- Bullseye hose nozzles are attached to garden hoses to scare off adults and to knock down old nests or empty nests.

WHEN TO USE

- Scare tactics and devices are most effective when used at the first sight of the bird's arrival.
- Once the birds establish residency on a tree they are not easily scared off.
- Any scare tactic and devices may be used up until the birds start laying their first eggs.

