

ORDINANCE NO. 7339
PLANNED DEVELOPMENT NO. 283-B
CASE NO. Z051202 / S051201

AN ORDINANCE AMENDING THE ZONING MAP AND ORDINANCE, MORE SPECIFICALLY AMENDING ORDINANCE NO. 6801 ESTABLISHING PLANNED DEVELOPMENT NO. 283A, TO REZONE A 15.032 ACRE TRACT OF LAND (THE ZONING AREA) SITUATED IN THE M. HUNT SURVEY, ABSTRACT NO. 758, CITY OF GRAND PRAIRIE, TARRANT COUNTY, TEXAS, GENERALLY LOCATED NORTH OF CAMP WISDOM ROAD AND WEST OF LAKE RIDGE PARKWAY, FROM PLANNED DEVELOPMENT DISTRICT NO. 283A FOR GENERAL RETAIL (GR) USES WITH ARCHITECTURAL CONTROLS TO PLANNED DEVELOPMENT DISTRICT NO. 283B FOR GENERAL RETAIL (GR) USES WITH ARCHITECTURAL CONTROLS PLUS MINI-STORAGE USES SITUATED ON A 9.63 ACRE TRACT WITHIN THE ZONING AREA; SAID ZONING MAP AND ORDINANCE BEING NUMBERED ORDINANCE NUMBER 4779 AND PASSED ON NOVEMBER 20, 1990; REPEALING ALL ORDINANCES OR PARTS OF ORDINANCES IN CONFLICT HEREWITH; CONTAINING A SAVINGS CLAUSE; AND TO BECOME EFFECTIVE UPON ITS PASSAGE AND APPROVAL.

WHEREAS, the owners of the property described herein below filed application with the City of Grand Prairie, Texas, petitioning an amendment of the Zoning Ordinance and map of said city so as to rezone and reclassify said property (the zoning area) from its classification as follows:

From Planned Development District No. 283A for General Retail (GR) Uses with Architectural Controls to Planned Development District No. 283B for General Retail (GR) Uses with Architectural Controls plus Mini-Storage Uses Situated on a 9.63 Acre Tract within The Zoning Area, and

WHEREAS, the Planning and Zoning Commission of Grand Prairie, Texas, held a public hearing on said application on December 12, 2005 after written notice of public hearing before the Planning and Zoning Commission on the proposed rezoning had been sent to owners of real property lying within 300 feet of the property on which the change of classification is proposed, said Notice having been given not less than ten (10) days before the date set for said hearing to all such owners who rendered their said property for City taxes as the ownership appears on the last approved City Tax Roll, and such Notice being served by depositing the same, properly addressed and postage paid, in the City Post Office; and

WHEREAS, after consideration of said application, the Planning and Zoning Commission of the City of Grand Prairie, Texas voted 6 to 1 to recommend to the City Council of Grand Prairie, Texas, that the hereinafter described property (the zoning area) be rezoned from its classification as follows:

From Planned Development District No. 283A for General Retail (GR) Uses with Architectural Controls to Planned Development District No. 283B for General Retail (GR) Uses with Architectural Controls plus Mini-Storage Uses Situated on a 9.63 Acre Tract within The Zoning Area, and

WHEREAS, Notice was given of a further public hearing to be held by the City Council of the City of Grand Prairie, Texas, in the City Hall Plaza Building at 6:30 o'clock P.M. on January 17, 2006, to consider the advisability of amending the Zoning Ordinance and Map as recommended by the Planning and Zoning Commission, and all citizens and parties at interest were notified that they would have an opportunity to be heard, such Notice of the time and place of such hearing having been given at least fifteen (15) days prior to such hearing by publication in the Fort Worth Star Telegram, Fort Worth, Texas, a newspaper of general circulation in such municipality; and

WHEREAS, all citizens and parties at interest have been given an opportunity to be heard on all the matter of the proposed rezoning and the City Council of the City of Grand Prairie, Texas, being informed as to the location and nature of the use proposed on said property, as well as the nature and usability of surrounding property, have found and determined that the property in question, as well as other property within the city limits of the City of Grand Prairie, Texas, has changed in character since the enactment of the original Zoning Ordinance from its classification as follows:

From Planned Development District No. 283A for General Retail (GR) Uses with Architectural Controls to Planned Development District No. 283B for General Retail (GR) Uses with Architectural Controls plus Mini-Storage Uses Situated on a 9.63 Acre Tract within The Zoning Area; and

By reason of changed conditions, does consider and find that this amendatory Ordinance should be enacted since its provisions are in the public interest and will promote the health, safety and welfare of the community.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF GRAND PRAIRIE, TEXAS:

I.

That Ordinance Number 4779, being the Zoning Ordinance and Map of the City of Grand Prairie, Texas, showing the locations and boundaries of certain districts, and said Zoning Ordinance and Map having been made a part of an Ordinance entitled:

"AN ORDINANCE AMENDING IN ITS ENTIRETY CHAPTER 28 OF THE CODE OF ORDINANCES KNOWN AS THE ZONING ORDINANCE OF THE CITY OF GRAND PRAIRIE, TEXAS, AS PASSED AND APPROVED BY THE CITY COUNCIL ON THE 20TH DAY OF NOVEMBER, 1990, TOGETHER WITH ALL AMENDMENTS THERETO AND ENACTING A REVISED ORDINANCE ESTABLISHING AND PROVIDING FOR ZONING REGULATIONS; CREATING USE DISTRICTS IN ACCORDANCE WITH A COMPREHENSIVE PLAN..."

and passed and approved November 20, 1990, as amended, is hereby further amended so as to rezone the above described area all within the zoning area as described as shown on the attached Exhibit "A" incorporated herein by reference.

II.

DEVELOPMENT STANDARDS

The purpose of this Planned Development District is to provide the appropriate restrictions and development controls to permit the development of general retail uses in a manner compatible with the surrounding development and zoning in compliance with the City's Comprehensive Plan and the Unified Development Code. The Planning and Zoning Commission and City Council may approve alternative designs where a strict application of these standards will result in a physical hardship to the plans and designs for site development.

All development must meet the minimum requirements of the General Retail (GR) zoning districts prescribed in the Unified Development Code and adhere to additional architectural standards specified below. A final plat of this site must be filed prior to building permits being issued.

A Planned Development Site Plan shall be reviewed and approved by the City prior to the issuance of any building permits. All site plan submittals shall conform to the requirements specified in Article 16 of the Unified Development Code. The Planning and Zoning Commission and City Council reserve the right to table or deny any site plan application that does not meet submittal requirements.

A. Building Articulation Required

All facades of a building which are adjacent to and face a roadway, public park or residential district shall comply with the following standards:

1. Horizontal Articulation – No building façade shall extend for a distance greater than three times the mean elevation of the wall's height without having an off-set of fifteen percent (15%) or more of the wall's height. This off-set shall extend for a distance equal to at least twenty-five percent (25%) of the maximum length of either adjacent plane.
2. Vertical articulation – No horizontal wall shall extend for a distance greater than three times height of the wall without changing height by a minimum of fifteen percent (15%) of the wall's height. This height change shall continue for a minimum distance equal to at least twenty-five percent (25%) of the maximum length of either adjacent plane.

(Refer to Figures 1 and 2 on the following page for examples of Articulation Standards.)


3. Building Height – The height of the roof deck shall not exceed 35 feet from finished floor elevation. Architectural tower features and roof pitches may be constructed to a higher elevation as approved on the required Planned Development Site Plan.

B. Building Set Back along Public Street


Minimum building setback for retail and commercial buildings along a public street right-of-way shall be 55-feet. This set back would include the required 30-foot landscaped parking lot buffer specified in Section F.2.a. below. This setback applies to all vertical structures (buildings and canopies) to be constructed for retail and commercial buildings within the zoning area. Building setbacks for mini-storage uses shall conform to the standards prescribe by Section 2.J. below.

(Remainder of page intentionally left blank)

Articulation Standard Example



Possible Plans of Buildings:



Possible Elevations of Buildings:



Samples of Articulation Standard



FIGURES 1 AND 2

C. Exterior Building Material Requirements

1. **Masonry Requirement** - One hundred percent (100%) of the exterior of all new buildings (excluding doors and windows) shall be finished in one or more of the following materials indicated below. All building elevations submitted for site plan and building permit review shall include area and percentage tabulations for all exterior wall materials and articulation features proposed for each wall elevation.
 - a. Brick, stone, cast stone, rock, marble and granite.
 - b. Exterior Insulating Finishing System (EIFS). However, the use of EIFS shall not exceed 25% of the exterior walls of the building.
 - c. Architectural glass with less than twenty percent (20%) reflectance. However, only a maximum of twenty-five percent (25%) of a building façade may be constructed in architectural glass.
 - d. Split face concrete block, poured-in-place concrete, and tilt-wall concrete. Concrete products shall have an integrated color and be textured or patterned. Tilt-wall concrete structures shall include reveals, punch-outs, or other similar surface characteristics and adornments to enhance the façade on at least ten percent (10%) of each façade.
2. **Stone Requirement** - In addition, a minimum of 10% of the street facing façade shall be finished in stone, Austin stone or similar stone materials in order to establish a local architectural theme for the area.
3. **Accent Materials** – In addition, the following accent materials may be allowed up to 10% of a façade, excluding all windows, doors, and glass construction materials:
 - a. Corrugated galvanized metal,
 - b. Glass block,
 - c. Tile, and
 - d. Concrete board, such as Hardy Plank or other similar material, properly installed.
4. **Side and Rear Facades** - Side and rear facades shall be finished in a similar color and texture as the main front façade of the building.

D. Architectural Features

1. Facades

- a. In addition to the features described in Section A above, the facades of all primary commercial structures which face a street shall also include the following key architectural features:
 - i. All primary structures shall be designed with distinguishable architectural elements, such as a distinct base, wall and cornice or top.
 - ii. The use of arcades, covered walkways, architectural awnings, canopies or porticos is required along 25% of the primary façade and/or street facing facades.
 - iii. Windows, which may include see-through doors, shall be provided along all facades which face streets, such that they comprise at least 50% of the length of that façade for buildings under 10,000 square feet in size, and 25% for buildings over 10,000 square feet in size. The Council may approve alternative treatments; however, in no case shall there be less than 10% in windows and doors.

2. Roofs

- a. Roofline variations are required to reduce the visual scale of buildings, and to create visual interest. The roofs of non-residential buildings shall include at least two of the following elements:
 - i. Parapet walls that conceal flat roofs and rooftop equipment from eye level public view at adjacent public streets. Parapet walls shall vary in height, and will include architectural detailing, cornices, moldings, trims, variations in brick coursing, and other similar type detailing.
 - ii. Overhanging eaves, extending no less than three (3) feet past the supporting walls.
 - iii. Two or more roof slope planes.
 - iv. Sloping roofs that do not exceed the average height of the supporting walls, and that have an average slope of at least 8 in 12. Sloped roofs shall be finished with standing seam metal, corrugated metal, tile, or 30-year or better composite shingle.

3. Color

- a. All non-residential buildings shall comply with the standards in this section.
- b. Exterior colors shall be low reflectance, subtle, neutral or earth tone colors.
- c. The use of high intensity, primary, black, or fluorescent colors is prohibited, except as trim or accent areas. Where used as trim or accents, those colors shall not exceed ten percent (10%) of any single façade, excluding all windows, doors and glass construction materials.

E. Sign Regulations - Signage requirements of Article 9 of the Unified Development Code will apply to the subject property with the following exception:

- a. Individual tenant pole signs shall not be permitted.

F. Landscaping Requirement - Landscape requirements of Article 8 of the Unified Development Code will apply to the subject property along with the following supplemental requirements.

1. Tree Preservation Incentives

- a. The following credits shall be provided to the developer for each existing tree in excess of a 6-inch caliper width, as measured 4-feet and 6-inches (4'-6") above ground that is preserved and incorporated into the site plan design. This requirement applies to those species of trees listed in Exhibit 2 of Article 8, "Landscaping and Screening" of the Unified Development Code.
 - i. Parking requirement may be reduced by 6 paved parking spaces, including access drive paving that serve same spaces, for each tree preserved. Maximum parking reduction not to exceed 20% of total parking requirement; plus,
- b. A Tree Protection Plan shall be required at the time of building permit submittal and shall be approved by the Development Review Committee. Such plan shall include the following:
 - i. Identification of all existing trees to be preserved, including species type and size in caliper inches;
 - ii. Provide note prohibiting the storage of building materials, equipment

and vehicles under the drip-line of all existing trees to be preserved;

- iii. Indicate type of temporary fencing or barricade devices to be used to protect critical root zones (CRZ) of all existing trees to be preserved during the construction period. The CRZ shall be defined in accordance with Section 8.13.1 of Article 8, "Landscaping and Screening" of the Unified Development Code.
 - iv. Providing grading plan indicating both existing and new final grade elevation inside drip line of all existing trees to be preserved
- c. Replacement trees shall be required at a ratio (in caliper inches) of 1:1 for any tree designated for preservation on the Tree Protection Plan that is significantly damaged or destroyed during the construction period. Replacement trees shall be no less than 3-inches in caliper width.

2. Parking Lot Location and Screening Requirements

- a. All parking or drive areas shall be located a minimum of thirty (30) feet from right of way lines along public streets. The area inside the thirty (30) foot parking setback shall be credited towards the landscaping requirement prescribed by Article 8 of the Unified Development Code.
- b. All parking shall be screened from public rights-of-way and public park areas in accordance with Article 8, "Landscape and Screening" of the Unified Development Code, using a solid screen in the landscape strip. The screen shall be at least thirty six (36) inches in height, and be achieved through one of the following methods:
 - i. A berm;
 - ii. A planting screen (hedge);
 - iii. A wall, using masonry materials similar to those used in the main building façade; or
 - iv. A combination of the above.

3. Internal Parking Lot Landscaping Standards - Landscaped areas in a parking lot shall be provided in accordance with Article 8, "Landscape and Screening" of the Unified Development Code along with the following supplemental requirements.

- a. Perimeter parking lot screening shall be offset at least six (6) feet for every sixty (60) linear feet of screening area length.

G. Service Area Screening and Fencing Requirements

1. Screening of Mechanical Equipment

- a. Properties that may be viewed from residential uses, streets or public park areas shall screen all roof, ground and wall mounted mechanical equipment (e.g. air handling equipment, compressors, duct work, transformers and elevator equipment) from view at ground level on adjacent properties or public streets or parks.
- b. Roof-mounted mechanical equipment shall be shielded from view on four sides. Screening shall consist of materials consistent with the primary building materials, and may include metal screening or louvers that are painted to blend with the primary building.
- c. Screening shall result in the mechanical equipment blending in with the primary building, and not appearing separate from the building.
- d. Wall or ground-mounted equipment screening shall be constructed of:
 - i Planting screens; or
 - ii Brick, stone, reinforced concrete, or other similar masonry materials; or
 - iii Redwood, cedar, preservative pressure treated wood, or other similar materials; and
 - iv All fence posts shall be rust-protected metal, concrete-based masonry or concrete pillars.
 - v A combination of the above.

2. Screening of Outside Storage

- a. Outside storage shall be located on the side or rear of the primary building and shall be screened from public view on public streets.
- b. Outside storage shall be screened with a minimum seven (7) foot tall screen or a screen that is a minimum of one (1) foot above the top of the storage materials, whichever is taller. Screening shall be:

- i. A masonry wall or other material that is similar to the primary structure
- ii. A berm.
- iii. A planting enclosure of large evergreen shrubs planted a maximum of four (4) feet apart that shall create a solid screen to a minimum height of seven (7) feet within two (2) years as determined by a registered landscape architect, certified nurseryman or master gardener, or as determined by the Director of Planning and Development or appointed designee.
- iv. A combination of the above.

3. Screening of Garage Bays

- a. This section shall apply to all sites with garage bays in non-industrially zoned tracts within the district.
- b. Garage bay doors shall be located at the side or rear of buildings.
- c. Garage bay door areas shall be screened from adjacent properties, streets or public areas by a 36" high screen.
- d. Screening materials shall be comprised of:
 - i. A wall that has a similar finish to the primary structure, or
 - ii. A combination of trees and shrubs that will result in solid screening to the required height within two (2) years as determined by a registered landscape architect, certified nurseryman or master gardener.

H. Lighting Standards

1. Screening of Light Fixtures

- a. In order to preserve the night sky and to reduce glare on roadways, pedestrian areas and adjacent development, light sources (e.g. light bulbs) shall be oriented toward the center of the site or shielded so as to not be visible from the nearest property line. This applies to refractory lenses that extend beyond the lighting fixture and are designed to redirect the lighting source horizontally. This does not apply to neon or internally lit signs, or to decorative lighting with 15 watts or less per bulb.

- b. Historic or antique-style pedestrian light fixtures approved by the city are excluded from this standard.

2. Decorative Pedestrian Level Lighting

- a. To accent entry areas and to enhance pedestrian safety, decorative pedestrian level pole or façade mounted lighting fixtures shall be used at entrances to the building and along major internal pedestrian routes.

I. Utilities

- a. All utilities shall be placed below ground, except for major high voltage transmission lines.
- b. Major utility access structures, which must be located above ground, shall be placed in unobtrusive locations, and shall be screened with landscaping that blends into the overall landscaping of the area.

J. Mini Storage Uses

- a. All mini-storage development must meet the minimum requirements of the Unified Development Code and Sections A through I above with additional requirements and modifications detailed below.
- b. Mini-storage uses shall only be permitted on a 9.63 acre portion of Lot 4 as depicted on the attached Exhibit “B” titled “Conceptual Site Plan”. The construction of the Mini-Storage facility shall not be developed until the following approvals have been obtained for the zoning area:
 - i. A Certificate of Occupancy shall be issued for the 18,250 square foot shell retail building depicted on Lot 2 on the attached Exhibit “B”; and,
 - ii. A building permit shall be obtained for, at a minimum, foundation construction for Lots 1 and 3 as depicted on the attached Exhibit “B”
- c. A Manager's Office is permitted subject to compliance with all relevant building code requirements and may be located along the frontage of a public street right-of-way. The Manager's Office shall be set back a minimum of 110-feet from a public street right-of-way. Sloped roof

construction along the street facing façade of the Manager's Office shall be no less than 5:12.

- d. No frontage along the west right-of-way line of Lake Ridge Parkway and the north right-of-line of Camp Wisdom Road shall be occupied by mini-storage development.
- e. Detached storage buildings shall extend along the rear facing façade of adjacent retail and commercial buildings in a manner that that causes the mini storage structures to be substantially screened from eye level public view of a public street right-of-way. Detached storage buildings shall be set back a minimum of 45-feet from Kingswood Boulevard.
- f. Door openings for all storage buildings shall be painted in earth tone colors in accordance with Section D.3.b. of this Ordinance and not be directly visible from the rights-of-way of Lake Ridge Parkway and Camp Wisdom Road.
- g. All perimeter building facades for storage units fronting adjacent properties shall be constructed of a solid masonry material as specified in Section C. 1 of this Ordinance and shall serve as an architectural screen from adjacent development. Said perimeter building facades shall be constructed no less than 10-feet in height and shall be erected prior to the construction of storage units located within the interior of the subject 9.63 acre tract. At least 30% of each perimeter building facade for storage units fronting adjacent properties is to be constructed with stone, stone veneer, or split face concrete block wall material that shall be predominantly located at the base of the building.
- h. All vehicular access drives into the storage unit complex shall be enclosed with a wrought iron type fence with vertical pickets spaced no less than 6-inches on center. Vertical pickets for all gate structures facing Lake Ridge Parkway shall be spaced no less than 2-inches on center. All gates shall be equipped with an opticom device approved by the Fire Department to facilitate emergency access.
- i. All outside (non-covered) storage of recreational vehicles, boats or trailers shall be located no closer than 400 feet from the west right-of-way line of Lake Ridge Parkway and north right-of-line of Camp Wisdom Road. The storage of recreational vehicles, boats or trailers shall occur inside the rear facing façade of mini-storage buildings in a manner that causes such vehicle storage areas to be substantially screened from eye level public

view from the rights-of-way of Lake Ridge Parkway and Camp Wisdom Road. Building placement and screening shall be verified at the time of Planned Development Site Plan approval.

- j. Installed wall signage advertising business name, phone number, building addresses, and directional information for vehicular traffic shall be permitted on mini-storage storage buildings in conformance with UDC requirements for such signage. All other sign types are prohibited from being installed, painted or hung from any exterior wall surface of a mini-storage building. Temporary banner signage shall only be permitted in strict conformance with Section 9.9.10 of the UDC. Painted wall signage is prohibited on any structure except for building address numbers and suite numbers.
- k. The exiting of in-tow boat trailers and recreational vehicles (R/V's) from the subject property shall be limited to the western most drive approach off of Kingswood Boulevard. The exit route of such vehicles shall not traverse the retail parcels facing Lake Ridge Parkway.
- l. A height restrictor bar structure, measuring 13'-6" in height, shall be placed over the entrance gate facing Lake Ridge Parkway.

III.


All ordinances or parts of ordinances in conflict herewith are specifically repealed.

IV.


That this Ordinance shall be in full force and effect from and after its passage and approval.

PASSED AND APPROVED BY THE CITY COUNCIL OF THE CITY OF GRAND PRAIRIE, TEXAS, this the 17th day of January, 2006.


APPROVED:


Mayor

ATTEST:


Catherine E. DiMaggio
City Secretary

APPROVED AS TO FORM AND LEGALITY:



City Attorney
Zoning Case No. Z05202 / S051201

Exhibit "A"
Page 1 of 4

**FIELD NOTES FOR REZONING
15.032 ACRES**

BEING a tract of land situated in the M. Hunt Survey, Abstract No. 758, City of Grand Prairie, Tarrant County, Texas and being all of that certain tract of land conveyed to Camp Wisdom / Lake Ridge Parkway, L. P. by Special Warranty Deed recorded in Instrument No. D206058681, Official Public Records, Tarrant County, Texas and being more particularly described as follows:

BEGINNING at an iron rod found for corner at the North end of a cutoff at the intersection of the Southerly ROW line of Kingswood Boulevard (a 100' ROW) with the Westerly ROW line of Lakeridge Parkway (a variable ROW);

THENCE: South 20 degrees 08 minutes 02 seconds East, along said cutoff, a distance of 36.35 feet to an iron rod found for corner at the South end of said cutoff, said iron rod being at the most Eastern corner of said Camp Wisdom / Lake Ridge Parkway tract;

THENCE: South 23 degrees 14 minutes 17 seconds West, along the Westerly ROW line of Lakeridge Parkway and the Easterly line of said Camp Wisdom / Lake Ridge Parkway tract, a distance of 6.61 feet to an iron rod found at the beginning of a curve to the left, having a central angle of 23 degrees 00 minutes 00 seconds, a radius of 2341.83 feet and a chord bearing South 11 degrees 44 minutes 12 seconds West, a distance of 933.87 feet;

THENCE: Southwesterly, along the Westerly ROW line of Lakeridge Parkway and the Easterly line of said Camp Wisdom / Lake Ridge Parkway tract and along said curve to the left, an arc distance of 940.17 feet to an iron rod found;

THENCE: North 89 degrees 45 minutes 52 seconds West, along the Westerly ROW line of Lakeridge Parkway and the Easterly line of said Camp Wisdom / Lake Ridge Parkway tract, a distance of 5.00 feet to an iron rod found for corner;

THENCE: South 00 degrees 14 minutes 08 seconds West, continuing along the Westerly ROW line of Lakeridge Parkway and the Easterly line of said Camp Wisdom / Lake Ridge Parkway tract, a distance of 63.03 feet to an iron rod found for corner at the Southeast corner of said Camp Wisdom / Lake Ridge Parkway tract;

THENCE: North 89 degrees 45 minutes 52 seconds West, at 13.00

Exhibit "A" Page 2 of 4
--

feet passing the Northeast corner of Lot 1, Block 1, Lakeridge Village Addition, recorded in Cabinet A, Page 8942, Plat Records, Tarrant County, Texas, continuing along the South line of said Camp Wisdom / Lake Ridge Parkway tract and the North line of said Lot 1, a total distance of 342.52 feet to an iron rod found for corner in the East line of a tract of land conveyed to Guion Gregg, III by Deed recorded in Instrument No. D204361027, Official Public Records, Tarrant County, Texas, said iron rod also being at the Northwest corner of said Lot 1;

THENCE: along the common boundary line of said Gregg tract and said Camp Wisdom / Lake Ridge Parkway tract, the following bearings and distances:

North 00 degrees 08 minutes 03 seconds East, a distance of 46.15 feet to an iron rod found for corner at the Northeast corner of said Gregg tract;

North 89 degrees 45 minutes 52 seconds West, a distance of 342.35 feet to an iron rod found for corner;

South 24 degrees 28 minutes 00 seconds West, a distance of 189.70 feet to an iron rod found for angle point;

South 00 degrees 18 minutes 35 seconds West, a distance of 150.71 feet to an iron rod found for corner in the North ROW line of Camp Wisdom Road (a variable ROW), said iron rod being at the most Southerly Southeast corner of said Camp Wisdom / Lake Ridge Parkway tract;

THENCE: North 89 degrees 41 minutes 25 seconds West, along the North ROW line of Camp Wisdom Road and the South line of said Camp Wisdom / Lake Ridge Parkway tract, a distance of 107.29 feet to an iron rod found at the beginning of a curve to the left, having a central angle of 00 degrees 07 minutes 31 seconds, a radius of 1060.22 feet and a chord bearing South 89 degrees 53 minutes 10 seconds West, a distance of 2.32 feet;

THENCE: Southwesterly, along the North ROW line of Camp Wisdom Road and the South line of said Camp Wisdom / Lake Ridge Parkway tract and along said curve to the left, an arc distance of 2.32 feet to an iron rod found for corner in the Easterly ROW line of the Texas Electric Service Co. Right of Way by Deed recorded in Volume 5946, Page 731, Deed Records, Dallas County, Texas, said iron rod being at the Southwest corner of said Camp Wisdom / Lake Ridge Parkway tract;


Exhibit "A"
Page 3 of 4

ORDINANCE NO. 7339

THENCE: North 24 degrees 28 minutes 00 seconds East, along the Westerly line of said Camp Wisdom / Lake Ridge Parkway tract and the Easterly line of said Texas Electric Service Co. Right of Way, a distance of 1723.34 feet to an iron rod found in the Southerly ROW line of Kingswood Boulevard (a 100' ROW), said iron rod also being at the beginning of a curve to the left, having a central angle of 23 degrees 13 minutes 26 seconds, a radius of 1100.00 feet and a chord bearing South 51 degrees 14 minutes 34 seconds East, a distance of 442.82 feet;

THENCE: Southeasterly, along the Southerly ROW line of Kingswood Boulevard and the Northerly line of said Camp Wisdom / Lake Ridge Parkway tract and along said curve to the left, an arc distance of 445.87 feet to the PLACE OF BEGINNING and containing 15.032 acres of land.

PROPERTY OWNER NOTIFICATION / LOCATION MAP





Cross Hatched Area
Indicates Property
Under Review


Shaded Area Indicates
Notification Boundry
(if applicable)

CASE NUMBER: Z051202
ZONING REQUEST -
LAKERIDGE PLAZA RETAIL CENTER
CURRENT ZONING: PD-283 & PD-283A
REQUEST:

A request for approval of a
Zoning Change for
The Lakeridge Retail Center



A Planned Development
for the NWQ of Camp Wisdom Road
at Lakeridge Parkway



General Notes:


1. This is a conceptual site plan and is not intended to be used for any other purpose. It is not a final plan and is subject to change without notice.

2. The site plan is based on the information provided by the applicant and is not intended to be used for any other purpose.

3. The site plan is not intended to be used for any other purpose.

4. The site plan is not intended to be used for any other purpose.

5. The site plan is not intended to be used for any other purpose.



DESIGNER

Andalusia Builders, Inc.

4500 West 227th
Tulsa, Oklahoma 74111
918-432-2500

Contact: Jeff Eubank
jeubank@andalusia.com

DEVELOPER

QUINE & ASSOCIATES

1111 N. 4th Avenue, Suite 2010
Tulsa, Oklahoma 74103
918-432-2500

Contact: Jeff Eubank
jeubank@andalusia.com

PROJECT NAME

LAKERIDGE PLAZA
Retail Center,
Pad Sites,
and
All Storage Center

2051202
5051201

CONCEPTUAL SITE PLAN
Page 1 of 1

Exhibit "C"
Conceptual Site Plan